### **AURORA**



### **AURORA**



Floorstander with outstanding sound characteristics and innovative technology



High-quality connecting terminal with solid, gold-plated and capsulated screw connectors with Bi-wiring/Bi-amping optione



New Fluctus tweeter with 28 mm fabric dome and computeroptimised multi-corrugated front panel for perfect dispersion characteristics



Solid crossbeams at the base with height-adjustable massive aluminium cone spikes

### **AURORA**

Ivory White



Aurora 1000







Aurora Sub 3A

Ebony Black



### **AURORA**





#### **Drivers**

- Tweeter with 28 mm silk compound dome, ferrofluid cooling for high capacity, powerful ferrite double magnet system and new Fluctus acoustic flange geometry
- Woofer-midrange with light long-fibre cone, flat long-fibre dustcap, long-throw surround and highperformance voice coil, optimised for low-distortion signal transmission
- Woofer-midrange with solid and coated steel basket and high-grade, sixfold screwed trim ring

#### Cabinet

- Solid construction using elaborated struttings (1000, 700)
- Very solid construction (300, Center 30)
- Front and top side in high-quality semi matte painting
- Removable cloth protection cover with hidden magnetic mounts
- Bass reflex construction with airflow-optimised and screwed reflex tubes
- Solid crossbeams at the base with height-adjustable massive aluminium cone spikes
- Exchangeable metal/rubber spike tips for an optimum adaptation to the floor type
- Rubber spikes (300, Center 30)

#### Crossover

- Elaborated phase and amplitude optimized crossover with high-quality components
- High-quality connecting terminal with solid, gold-plated and capsulated screw connectors
- Bi-wiring/Bi-amping option (1000, 700, 300)







#### **HIGHLIGHTS**

- Powerful active subwoofer with 30 cm high-power woofer and high-performance amplifier
- Modern design: Silk-matt lacquer combined with modern wood decors
- Sturdy MDF enclosure with one-piece front/top L profile for optimum resonance damping
- Innovative Extended Surface Dampers (ESD)
- · Cloth protection cover with hidden magnetic mounts

#### **Equipment**

- Level and crossover-frequency adjustable
- Phase switchable 0° / 180°
- · Stereo low level inputs
- Automatic standby circuit
- Mains switch

#### Drive

- High-power long-throw woofer with hardened paper cone, high-performance voice-coil and powerful ferrite magnet system
- · Woofer frontfire configuration

#### Cabinet

- Very solid construction
- · Front and top side in high-quality semi matte painting
- Removable cloth protection cover with hidden magnetic mounts
- Bass reflex construction with two airflow-optimised and screwed reflex tubes
- Innovative Extended Surface Dampers (ESD) for a safe grip

#### **Amplifier**

- · High performance class AB amplifier
- Real-time Limiter
- Active SPL equalization
- Low standby power consumption (<0.5 watt)

### **AURORA**

#### **AURORA 1000**

Principle Equipment

Power Handling (RMS/Max) Impedance

Frequency Response Crossover Frequencies

**Recommended Amplifier Output** 

Sensitivity
Cabinet surface
Dimensions (WxHxD)

Weight

Ebony Black Ivory White 3-way bass reflex 2 x 8" woofer 6.5" midrange 1" dome-tweeter

4 - 8 Ω 22 - 42 50

230/380 W

22 - 42 500 Hz 260 Hz, 3 300 Hz 30 - 380 W 93 dB

Ebony Black, Ivory White Cabinet: 235 x 1200 x 375 mm

Incl. spikes and Terminal: 305 x 1258 x 393 mm

26.6 kg

Art. No. 134 8030 EAN: 40 29678 48030 9 (RRP 699 € / Piece) Art. No. 134 8032 EAN: 40 29678 48032 3 (RRP 699 € / Piece)

#### **AURORA 700**

Principle Equipment

Power Handling (RMS/Max) Impedance Frequency Response

Crossover Frequencies
Recommended Amplifier Output

Sensitivity
Cabinet surface

Dimensions (WxHxD)

Weight

Ebony Black Ivory White 3-way bass reflex 2 x 6.5" woofer 6.5" midrange

1" dome-tweeter 200/300 W

4 - 8 Ω

25 - 42 500 Hz 290 Hz, 3 300 Hz 30 - 300 W 92 dB

Ebony Black, Ivory White Cabinet: 195 x 1100 x 325 mm

Incl. spikes and Terminal: 265 x 1158 x 343 mm

19.9 kg



Art. No. 134 8020 EAN: 40 29678 48020 0 (RRP 499 € / Piece) Art. No. 134 8022 EAN: 40 29678 48022 4 (RRP 499 € / Piece)

### **AURORA**

#### **AURORA 300**

2-way bass reflex **Principle** 6.5" midrange **Equipment** 1" dome-tweeter

Power Handling (RMS/Max) 80/150 W 4 - 8 Ω **Impedance** 32 - 42 500 Hz **Frequency Response** 3 300 Hz **Crossover Frequencies Recommended Amplifier Output** 20 - 150 W

Sensitivity 90 dB **Cabinet surface** Ebony Black, Ivory White

**Dimensions (WxHxD)** Cabinet: 195 x 357 x 315 mm

Incl. spikes and Terminal: 195 x 357 x 333 mm Weight

7.5 kg

Ebony Black Art. No. 134 8010 EAN: 40 29678 48010 1 (RRP 449 € / Pair) Art. No. 134 8012 EAN: 40 29678 48012 5 (RRP 449 € / Pair) Ivory White

#### **AURORA Center 30**

**Principle** 2-way bass reflex **Equipment** 2 x 5" woofer-midrange 1" dome-tweeter

Power Handling (RMS/Max) 90/150 W **Impedance**  $4 - 8 \Omega$ 34 - 42 500 Hz **Frequency Response Crossover Frequencies** 3 300 Hz 20 - 150 W **Recommended Amplifier Output** 

Sensitivity 90 dB **Cabinet surface** Ebony Black, Ivory White Cabinet: 490 x 177 x 285 mm **Dimensions (WxHxD)** 

Incl. spikes and Terminal: 490 x 177 x 303 mm

Weight 9.4 kg

Ebony Black Art. No. 134 8040 EAN: 40 29678 48040 8 (RRP 229 € / Piece) Ivory White Art. No. 134 8042 EAN: 40 29678 48042 2 (RRP 229 € / Piece)



### AURORA

#### **AURORA Sub 30A**

Principle
Equipment
Power Output (RMS/Max)
Frequency Response
Crossover Frequencies
Cabinet surface
Dimensions (WxHxD)

Weight

Ebony Black Ivory White Powered bass reflex subwoofer

12" powered subwoofer

125 / 250 W

20 - 150 Hz

50 - 150 Hz adjustable

Ebony Black, Ivory White

Cabinet: 350 x 465 x 415 mm

Incl. spikes and Terminal: 350 x 465 x 445 mm

19.5 kg

Art. No. 134 8050 EAN: 40 29678 48050 7 (RRP 499 € / Piece)

Art. No. 134 8052 EAN: 40 29678 48052 1 (RRP 499 € / Piece)

