

Sonus faber

ARTISAN OF SOUND



LUMINA

Sonus faber

ARTISAN OF SOUND



Click on the speaker to visit
the dedicated section.

Cliquez sur l'enceinte pour vous
rendre à la session dédiée.





The family grows wider *La famille s'agrandit*

The Lumina collection was first introduced in September 2020, during a difficult and unprecedented year. Despite the challenge, Sonus faber was able to embody their history, spirit and brand values with the new collection that presented an exciting change, new to the typical Sonus faber product design portfolio.

The premiere Lumina models include the bookshelf two-way **Lumina I**, the floor standing three-way **Lumina III**, and the center channel two-way **Lumina CI**. One year later, "Simplicity" remains top of mind with the continuation of the project, announced in two new models: The **Lumina II** and The **Lumina V**. The collection expansion aims to reach an even wider audience by offering higher power, especially in relation to larger environments. The collection is able to house both a stereo system and a multi-channel home theater system for multi-directional audio perspective.

*Les enceintes Lumina Sonus faber voient le jour en septembre 2020. Une année difficile et sans précédent, confortée par un changement profond de la marque par rapport à son approche au design traditionnel, mais sans jamais manquer à transmettre les valeurs fondamentales de Sonus faber. La série se composait initialement de trois modèles: **Lumina I**, enceinte bibliothèque 2 voies, **Lumina III**, enceinte colonne 3 voies et **Lumina CI**, la voie centrale 2 voies. Un an plus tard, la « simplicité » reste toujours le maître mot du projet, avec l'ajout de deux nouveaux modèles: **Lumina II** et **Lumina V**. Le but étant de toucher un public plus large avec un besoin d'usage à niveau sonore plus élevé également dans le cadre d'adaptation et de couplage dans de grandes salles. Ces modèles s'intègrent facilement à la fois dans un système audio et dans un système multicanaux home cinema suivant les besoins.*



LUXury, MInimalist, NATural LUXe, MInimalisme, NATurel

The simple and squared design of the Lumina models was chosen to emphasize the quality of materials used. This principal of minimalism directly captures the essence of the product, thoughtfully designed in conjunction with the theory that "less is more". The Lumina collection boasts the core values of Sonus faber and the use of its iconic materials, including leather, natural composition of drivers, and real multilayer wood available in Walnut and Wenge wood with Maple inlay matte and Piano Black glossy finishes. All items pay tribute to our historic heritage and are made in Italy. The collection is offered at an accessible price point without compromising sound performance, empowering everyone to enjoy a true Sonus faber experience.

Pour mettre en valeur la qualité des matériaux utilisés nous avons opté pour un design épuré et carré. L'approche du concept minimaliste met en avant l'essence même du produit partant du principe que « le mieux est l'ennemi du bien ». La gamme Lumina est conçue suivant les valeurs fondamentales inhérentes à Sonus faber, des matériaux emblématiques tels que le cuir, la composition naturelle de ses haut-parleurs, et revêtement en bois multicouches finition Noyer, Wenge avec incrustations d'érable et Piano Noir laqué. Toutes ces réalisations entièrement fabriquées en Italie rendent hommage à notre savoir-faire. La gamme accessible à un prix abordable sans aucun compromis au niveau de la restitution sonore est une réelle invitation au monde Sonus faber.



A complete Home Cinema system to enjoy your time.

Un système Home Cinéma aux performances exceptionnelles pour un plaisir extrême

The Lumina Collection is perfect for stereo listening to perceive all the sound subtleties and emotional nuances of music, closely replicating a live music experience. If you're looking to get more out of your system, Lumina is also an ideal protagonist for a multi-channel system for film or sport viewing. Delivering more emphasis and substance to action scenes, dialogues and soundtracks, Lumina perfectly pairs with the Gravis subwoofer models (Gravis I, II and III), which feature matching finishes and materials.

Lumina and Gravis combine to create a 5.1 Home Theater system that offers a rich, articulated sound that offers possibilities for growth and modification tailored to your space and listening needs. For those wishing to optimize their home space even more, Sonus faber's Palladio collection of custom-installation speakers offer discreet paintable grills, refined with fine finishes to match any listening environment.

Designing a comprehensive Sonus faber multi-channel system has never been easier with the Lumina, Gravis and Palladio lines offering endless possibilities that result in a natural sound experience through a clean and beautiful design.

La gamme Lumina s'adapte parfaitement à l'écoute stéréo, la restitution des nuances et des émotions sonores sont comparables à celles perçues en live. C'est le maillon idéal au sein d'un système multicanal pour tirer le meilleur parti d'un film ou reportage sportif. Pour donner encore plus d'importance et de corps aux scènes d'action, aux dialogues et aux bandes sonores, Lumina s'accorde parfaitement avec la gamme des caissons Gravis (Gravis I, II et III), (dont les finitions et matériaux s'harmonisent parfaitement) Lumina et Gravis se complètent à la perfection pour un système home cinéma 5.1 garantissant un son riche et articulé avec des évolutions possibles suivant votre environnement et vos besoins. Pour ceux qui souhaitent optimiser leur espace la série Palladio offre une gamme d'enceintes à encastrer de finition raffinée dont l'encadrement peut être peint pour s'adapter au style de votre intérieur.

Concevoir un système multicanal Sonus faber n'a jamais été aussi simple. En effet les séries Lumina, Palladio et Gravis dont le design est superbe et épuré offrent d'innombrables possibilités aboutissant à une restitution sonore naturelle.





LUMINA V

The Lumina V is the flagship three-way floor standing model in the collection. Lumina V is a slender speaker with high-power handling and fast transient response, capable of producing a natural, generous and emotional sound for an immersive listening experience.

Il s'agit du nouveau produit phare de la ligne, une enceinte colonne trois voies très élégante, capable de supporter des puissance élevées et très rapide en régime transitoire. Elle est dotée de qualité d'écoute très naturelle et délivre une scène sonore vous transportant au cœur de la musique.







The Lumina V is rich with new electro-acoustic solutions:

1) Lute Shape mid-hi internal chamber
 The internal mid-high volume is designed with iconic lute shape, a unique feature created by Sonus faber and main characteristic for the brand since its inception in the 1990's. This feature is able to maximize the structural rigidity and the acoustic performance of the midrange and simultaneously reduce standing waves within the acoustic load volume.


Lumina V est le modèle le plus performant en termes de résolutions électroacoustiques:

1) La technologie de fabrication des compartiments médium aigus sur lesquels les haut-parleurs sont installés sont en forme d'un luth typique de la construction des enceintes Sonus faber depuis les années 90 à nos jours. Cette technologie permet de rigidifier la structure de l'enceinte, tout en minimisant les ondes stationnaires dans le volume de charge acoustique.



2) Hybrid IFF Crossover - Paracross Topology™
 The new mid-high crossover network "Hybrid IFF – Paracross Topology™" combines Interactive Fusion Filtering, first introduced in the Maxima Amator in December 2020, with the Paracross Topology™, where reactive components (capacitors and inductors/coils) are placed on the negative rail of the circuitry. The resulting benefits include a reduction in the drivers' back EMF (Electro Motive Force), allowing them to operate in a maximally interconnected and organic way, and a lowering of crossover sensitivity to radio frequencies, further improving sound definition.

2) Crossover Hybrid IFF - Paracross Topology™
 Pour le registre des fréquences haut médium, un nouveau filtre « Hybrid IFF-Paracross Topology™ » a été développé. Il s'agit d'une combinaison du concept Interactive Fusion Filtering - introduite sur les Maxima Amator en décembre 2020 – dotée de la technologie Paracross Topology™, dans laquelle certains composants sont utilisés sur la section négative du filtre. Les avantages de cette technologie sont à la fois la réduction du retour de la force contre électromotrice Back EMF (Electromotive Forces of Return) générée par les haut-parleurs, qui renvoient le surplus de puissance dont ils n'ont plus besoin. Cela permet au filtre d'améliorer la définition du signal audio.



LUMINA V

System	3-way floorstanding loudspeaker system. Vented box design.
Drivers	<p>Tweeter: 29mm high definition DAD™ driver. Visco-elastically baffle decoupling. Sonus faber design.</p> <p>Midrange: 150mm cone driver. Ultra-free compression basket, Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity.</p> <p>Woofer: 2x165mm cone drivers. Ultra-free compression basket, Sonus faber design. Special custom sandwich diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity. Sonus faber design.</p>
Crossover	Optimized amplitude/phase response for optimal space/time performance "Hybrid IFF-Paracross solution". Crossover frequencies: 260 and 2600 Hz.
Frequency response	38 Hz – 24.000 Hz
Sensitivity	90dB SPL (2.83V/1m)
Nominal impedance	4 ohm
Suggested amplifier power output	50 – 300W undistorted signal
Dimensions (HxWxD)	1049 x 280 x 372,6 mm / 4,13 x 11 x 14,7 in
Weight (each)	22.5 Kg / 49,6 lb





LUMINA III


The Lumina III is the smallest floor standing speaker in the collection, honored with six awards in its first year. The reviewers have recognized the speaker as nicely finished and visually attractive, capable of playing different music genres without sounding rough, all at a low price, a welcome addition to the audio canon.

Il s'agit de la plus petite enceinte colonne de la gamme. Elle a reçu six récompenses en un an, a été encensée par la Presse pour la qualité de sa finition et son esthétique très attrayante. C'est une enceinte pouvant diffuser tout style de musique sans que la qualité sonore ne soit altérée. Et le tout à petit prix, ce qui est toujours un plus.



LUMINA III

System	3-way floorstanding loudspeaker system. Vented box design.
Drivers	<p>Tweeter: 29mm high definition DAD™ driver. Visco-elastically baffle decoupling. Sonus faber design.</p> <p>Midrange: 150mm cone driver. Ultra-free compression basket, Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity.</p> <p>Woofers: 2x150mm cone drivers. Ultra-free compression basket, Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity.</p>
Crossover	Optimized amplitude/phase response for optimal space/time performance "Paracross Topology™". Crossover frequencies: 350 and 3500 Hz.
Frequency response	40 Hz – 24.000 Hz
Sensitivity	89dB SPL (2.83V/1m)
Nominal impedance	4 ohm
Suggested amplifier power output	50W – 250W undistorted signal
Dimensions (HxWxD)	989 x 228 x 277,7 mm / 38,9 x 9 x 10,9 in
Weight (each)	15.9 Kg / 35.1 lb





LUMINA II

The Lumina II is the second bookshelf speaker in the collection, with a larger volume and 150mm mid-woofer. The Lumina II maintains a compact and versatile design perfect for placement within a bookcase or shelving unit, or can be easily positioned as a rear channel in a home theater system. The Lumina II enriches the range of two-way speakers in the Lumina family, offering a perfect solution for a smaller system, without compromising the ability to fill a room with quality, natural sound.

La Lumina II est la deuxième enceinte bibliothèque de la série, plus volumineuse que la Lumina I et dotée d'un médium de 150 mm. Malgré sa plus grande taille, Lumina II conserve un design compact et pratique, parfait pour un emplacement dans une bibliothèque ou sur une étagère, et également comme voie arrière dans un système home cinéma. Lumina II est une grande évolution dans la catégorie des enceintes à deux voies. Elle est également très performante dans une grande salle d'écoute.

LUMINA II

System	2-way shelf loudspeaker system. Vented box design.
Drivers	Tweeter: 29mm high definition DAD™ driver. Visco-elastically baffle decoupling. Sonus faber design. Midwoofer: 150mm cone driver. Ultra-free compression basket, Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity. Sonus faber design.
Crossover	Optimized amplitude/phase response for optimal space/time performance. Crossover frequency: 1800 Hz.
Frequency response	55 Hz -24.000 Hz
Sensitivity	86dB SPL (2.83V/1m)
Nominal impedance	4 ohm
Suggested amplifier power output	30W – 150W undistorted signal
Dimensions (HxWxD)	304 x 180 x 263 mm / 12 x 7,1 x 10,3 in
Weight (each)	5.65 Kg / 12,5 lb





LUMINA I

The Lumina I is a compact and easy to place speaker, a crowd favorite! Reviewed by both trade and lifestyle media, Lumina I obtained global acclaim for its surprising power in musical reproduction and its "emotional" performances, despite its dimensions. Lumina I is a beautifully designed loudspeaker that not only provides a convincing and natural reproduction of human voice sonically, but also delivers the emotional content while fitting in any modern space.

Lumina I est une enceinte très compacte, très facile à positionner. Encensée par la Presse spécialisée et les « médias lifestyle » la Lumina I a reçu d'excellentes critiques sur ses qualités musicales exceptionnelles et également en rapport à sa petite taille elle est capable de restituer dans le registre des voix un naturel et des détails d'un réalisme incroyable.

LUMINA I

System	2-way shelf loudspeaker system. Vented box design.
Drivers	Tweeter: 29mm high definition DAD™ driver. Visco-elastically baffle decoupling. Sonus faber design. Midwoofer: 120mm cone driver. Ultra-free compression basket, Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity.
Crossover	Optimized amplitude/phase response for optimal space/time performance. Crossover frequency: 2000 Hz.
Frequency response	65 Hz -24.000 Hz
Sensitivity	84dB SPL (2.83V/1m)
Nominal impedance	4 ohm
Suggested amplifier power output	30W – 100W undistorted signal
Dimensions (HxWxD)	280 x 148 x 213 mm / 11 x 5.8 x 8.4 in
Weight (each)	4.4 Kg / 9.7 lb





LUMINA CI

LUMINA CI

The Lumina Center is a center channel speaker that obtains a more detailed voice reproduction and clearer dialogs to supplement the action, completing any Home Theater system. The Lumina Center is discreet in proportions and stylish by design, the perfect choice for any multichannel set up.

Pour plus de détails sur la reproduction de la voix et une intelligibilité maximale des dialogues, la voie centrale est l'élément essentiel venant compléter un système de home cinéma. Lumina Center I, aux proportions parfaites, est le choix idéal pour les configurations audio vidéo.

System	2-way horizontal loudspeaker system. Vented box design.
Drivers	Tweeter: 29mm high definition DAD™ driver. Visco-elastically baffle decoupling. Sonus faber design. Midwoofer: 2 x 120mm cone drivers. Ultra-free compression basket, custom Sonus faber design. Special custom diaphragm made with a blend of traditional cellulose pulp and other natural fibers, developed according to the most natural sound. Ultra-dynamic performance and high linearity. Sonus faber design.
Crossover	Optimized amplitude/phase response for optimal space/time performance. Crossover frequency: 2000 Hz.
Frequency response	65 Hz -24.000 Hz
Sensitivity	87dB SPL (2.83V/1m)
Nominal impedance	4 ohm
Suggested amplifier power output	30W – 100W undistorted signal
Dimensions (HxWxD)	168,6 x 523,6 x 212,7 mm / 6,6 x 20,6 x 8,4 in
Weight	7.6 Kg / 16.8 lb







Sonus faber
ARTISAN OF SOUND

sonusfaber.com